



SCOT P/N	Primary (STATOR) / (ROTOR)	SYNCHRO / RESOLVER	FREQUENCY (Hz)	INPUT VOLT	INPUT CURRENT	INPUT POWER	OUTPUT VOLTAGE	PHASE SHIFT	ROTOR RESISTANCE	STATOR RESISTANCE	Z _{so}	Z _{so} (J)	Z _{rss}	Z _{rss} (J)	Z _{ro}	Z _{ro} (J)	NULL	TRANSFORMATION RATIO	ACCURACY	MINUTE RANGE
08BRX5-AA05-101	Rotor	RESOLVER	2500	6.0	.01	.032	6	3.6	39	215	720	1000	325	525	220	240	10	1	7	Minute ± Max.
08BRX5-AB04-101	Rotor	RESOLVER	2500	6	.01	.032	6	3.6	39	216	720	1000	220	240	325	525	10	1	7	Minute ± Max.
08BRX5-J03-101	Rotor	RESOLVER	400	26	.118	1.99	10.8	28.6	48.5	56.4	143	167.6	174.7	122	117	32	.04	.415	10	Minute ± Max.
08BRX5-J04-101	Rotor	RESOLVER	2500	6	.01	.032	6	3.6	39	216	720	1000	220	240	325	525	10	1	7	Minute ± Max.
08BRX5-J06-101	Rotor	RESOLVER	1850	8	.01	.035	3.2	5.7	49	56	181	230			439	786	10	.4	5	Minute ± Max.
08CDS5-A13-001	Rotor	RESOLVER	400	11.8	0.08	0.25	24.1	13	36	170	250	830			38	122	30	2.042	14	Minute Spread Max.
08CDS5-D13-002	Stator	RESOLVER	400	26	0.03	0.23	10.85	12	36	170	250	830			38	122	30	0.417	14	Minute +/- Max.
08CG5-A04-006	Rotor	SYNCHRO	400	26	0.17	0.93	11.8	9.5	24	8.5	7.3	26.2	55	17	32	150	30	0.454	20	Minute Spread Max.
08CG5-A05-000	Rotor	SYNCHRO	400	26	.1	.54	11.8	8.5	37	12	12.8	45	88	22	54	260	30	.454		
08CG5-A05-003	Rotor	SYNCHRO	400	26	0.1	0.54	11.8	8.5	37	12	12.8	45	88	22	54	260	30	0.454	7	Minute +/- Max.
08CG5-A5-000	Rotor	SYNCHRO	400	26	.1	.54	11.8	8.5	37	12	12.8	45	88	22	54	260	30	.454		
08CG5-G04-00508	Rotor	SYNCHRO	400	26	0.17	0.93	11.8	9.5	24	8.5	7.3	26.2	55	17	32	150	30	0.454	20	Minute Spread Max.
08CS5-001		RESOLVER	400	26	0.0163	0.105	22	11.5	315	210	300	1250			400	1550	50	0.846	14	Minute Spread Max.
08CS5-004	Rotor	RESOLVER	400	26	0.0163	0.105	22	11.5	315	210	300	1250			400	1550	50	0.846	14	Minute Spread Max.
08CS5-B10-002	Rotor	RESOLVER	400	26	0.038	0.39	26	20	230	170	256	828	363	70.5	270	629	50	1	15	Minute Spread Max.
08CSD5-A01-001	Stator		400	11.8	0.022	0.058	22.5	9.2	725	100	120	450			936	2600	40	1.907	14	Minute Spread Max.
08CSD5-S01-002	Rotor		400	11.8	0.022	0.058	22.5	9.2	725	100	120	450			936	2600	40	1.907	28	Minute +/- Max.
08CT5-001	Stator	SYNCHRO	400	11.8	0.0221	0.058	22.5	8.5	550	100	120	450	940	280	800	2500	60	1.907	30	Minute Spread Max.
08CT5-A03-003	Stator	SYNCHRO	400	11.8	0.0301	0.071	22.5	9.2	381	60	81	330	590	190	470	1770	40	1.907	15	Minute +/- Max.
08CT5-A03-006	Stator	SYNCHRO	400	11.8	0.0301	0.071	22.5	9.2	381	60	81	330	590	190	470	1770	40	1.907	15	Minute +/- Max.
08CT5-A03-008	Stator	SYNCHRO	400	11.8	0.0301	0.071	22.5	9.2	381	60	81	330	590	190	470	1770	30	1.907	20	Minute Spread Max.
08CT5-D03-004	Stator	SYNCHRO	400	11.8	0.0301	0.071	22.5	9.2	381	60	81	330	590	190	470	1770	40	1.907	15	Minute +/- Max.
08CT5-L01-001	Stator	SYNCHRO	400	11.8	0.022	0.058	22.5	9.2	550	100	120	450	940	280	800	2500	60	1.907	15	Minute Spread Max.
08CT5-M03-012	Stator	SYNCHRO	400	11.8	0.030	0.073	22.5	9.2	381	60	81	330	590	190	470	1770	40	1.907	15	Minute +/- Max.
08CT5-N01-002	Stator	SYNCHRO	400	11.8	0.0221	0.058	22.5	9.2	550	100	120	450	940	280	800	2500	60	1.907	30	Minute +/- Max.
08CT5-N03-009	Stator	SYNCHRO	400	11.8	0.03	0.07	22.5	8.42	420	72	85.9	358.07	681	163	572	2044	40	2.2	10	Minute +/- Max.
08CW5-M11-101	Rotor	RESOLVER	30	1	.0055	.005	.407	62.52	157.2	151.3	163.99	66.49			168.35	68.67	10	.407	40	Minute Spread Max.
08RVDT5-V02-001	Rotor	RVDT	400	26	0.0149	0.387	14.06	10-25	496	308	152.9	111.1			569.3	1649.5	13			
08TR5-A06-002	Rotor	SYNCHRO	400	26	0.1	0.54	11.8	8.5	37	12	12.8	45	88	22	54	260	30	0.454	30	Minute Spread Max.
08TR5-A06-003	Rotor	SYNCHRO	400	26	0.1	0.54	11.8	8.5	37	12	12.8	45	88	22	54	260	30	0.454	60	Minute Spread Max.
10BDC5-A01-001	Rotor	RESOLVER	400	26	9 +/- 15%	46 +/- 20%	11.8 +/- 1	2	150 +/- 15	454 +/- 10	185 +j 765		1050 +j 36		566 +j 283		30	0.454 +/-	20	Minute +/- Max.
10CG5-002	Rotor	SYNCHRO	400	26	0.169	0.657	11.8		18.75	11.8	13	39			23	152	50	0.454	30	Minute +/- Max.
10CT5-009		SYNCHRO	400		0.025	0.069	23.5	10	552	118	126	388	923	343	680	2430	50	2.304	30	Minute Spread Max.
10CT5-010		SYNCHRO	400	11.8	0.021	0.05	23.5	9	560	100	115	470			800	2900	50	1.992	30	Minute Spread Max.
10CT5-011		SYNCHRO	400	11.8	0.021	0.05	23.5	9	560	100	115	470			800	2900	50	1.992	30	Minute Spread Max.
10CW5-002	Stator	RESOLVER	400	11.8	0.0174	0.0923	11.9	25	270	262	304	863			305	606	30	1.01	60	Minute Spread Max.
10CW5-005	Stator	RESOLVER	400	11.8	0.0174	0.0923	11.9	25	270	262	304	863			305	606	30	1.01	60	Minute Spread Max.
10LT5-001	Stator	SYNCHRO	400	26	0.034	0.273	23.5	12	95	130	185	752	202	126	136	739	60	903	5%	Lin. Max.
10TR5-001	Rotor	SYNCHRO	400	26	0.158	0.643	11.8		18.5	6.9	6.88	29.1	42.6	16.35	25.7	162.5	20	0.454	30	Minute +/- Max.
10TR5-002	Rotor	SYNCHRO	400	26	0.209	1.342	11.8	13.8	24	10.2	12.8	32.7	66.6	15.86	30.7	120.5	40	0.454	60	Minute Spread Max.
10TR5-003	Rotor	SYNCHRO	400	26	.136	.486	11.8	5.6	16.5	7.1	7.95	33.7	45.5	17.21	26.3	189.4	26	.454	60	Minute Spread Max.
11B6T5-001	Bobbin	RESOLVER	400	26	0.189	1.68	11.8	19.8	28	6.1	20.5	45.4			74.9	115.4	25	0.454		
11BCG5-003	Stator	SYNCHRO	400	26	0.21	0.91	11.8	9.47	20.5	19	21.7	123.1			17.7	37.3	70	0.454	60	Minute +/- Max.
11BCW5-001B	Rotor	RESOLVER	400	28			12.7		95	18.7						26	0.454	30	Minute +/- Max.	



SCOT P/N	Primary (STATOR) / (ROTOR)	SYNCHRO / RESOLVER	FREQUENCY (Hz)	INPUT VOLT	INPUT CURRENT	INPUT POWER	OUTPUT VOLTAGE	PHASE SHIFT	ROTOR RESISTANCE	STATOR RESISTANCE	Z _{so}	Z _{so} (J)	Z _{rss}	Z _{rss} (J)	Z _{ro}	Z _{ro} (J)	NULL	TRANSFORMATION RATIO	ACCURACY	MINUTE RANGE
11BCW5-001C	Rotor	RESOLVER	400	28			12.7		95	18.7						26	0.454	30	Minute +/- Max.	
11BLT5-002	Rotor	SYNCHRO	400	115	0.058	0.911	90	5	159	159	173.5	927			267	1951	100	0.783	30	Minute +/- Max.
11BRX5-A01-001		RESOLVER	400	26	0.038	0.435	11.8	27.6	106	118	162	220			257	546	30	0.454	7	Minute +/- Max.
11CG5-001	Rotor	SYNCHRO	400	26	0.24	0.7	11.8	5.7	8.5	3	3.64	18.54			12.1	104.6	30	0.454	30	Minute Spread Max.
11CG5-001A	Rotor	SYNCHRO	400	26	0.24	0.7	11.8	5.7	8.5	3	3.64	18.54			12.1	104.6	30	0.454	30	Minute Spread Max.
11CG5-003	Rotor	SYNCHRO	400	26	0.1035	0.495	11.2	27	28.5	10.3	8.7	46.1	76	27.6	43.7	242	25	0.43	30	Minute Spread Max.
11CG5-003	Rotor	SYNCHRO	400	26	0.1035	0.495	11.2	27	28.5	10.3	8.7	46.1	76	27.6	43.7	242	25	0.43	15	Minute +/- Max.
11CG5-005	Rotor	SYNCHRO	400	26	0.24	0.7	11.8	5.7	8.5	3	3.64	18.54	22	8.9	12.1	104.6	30	0.454	30	Minute Spread Max.
11CG5-006	Rotor	SYNCHRO	400	26	0.24	0.7	11.8	5.7	8.5	3	3.64	18.54			12.1	104.6	30	0.454	30	Minute Spread Max.
11CG5-008	Rotor	SYNCHRO	400	26	0.24	0.7	11.8	5.7	8.5	3	3.64	18.54			12.1	104.6	35	0.454	10	Minute +/- Max.
11CG5-009		SYNCHRO	400	26	0.172	0.777	11.8	5.7	16	5	6.3	23.5			26	149	26	0.454	20	Minute +/- Max.
11CG6-001A		SYNCHRO	400	26	0.13	0.73	11.8	9.1	29	6.7	11	47.7	56.7	13.03	43.7	145.3	26	0.454	45	Minute +/- Max.
11CG6-001B		SYNCHRO	400	26	0.13	0.73	11.8	9.1	29	6.7	11	47.7	56.7	13.03	43.7	145.3	26	0.454	45	Minute +/- Max.
11CS5-005	Rotor	RESOLVER	400	26	0.013	0.075	22	8.5	310	192	290	1800	490	300	400	1950	26	0.846	7	Minute +/- Max.
11CS5-006		RESOLVER	400	26	0.018	0.0946	22	8.2	190	170	280	1200	370	140	310	1500	60	0.885	20	Minute Spread Max.
11CS5-007	Rotor	RESOLVER	2200	26	0.00343	0.0216	22		385	112	1422	6160			1834	7355	60	0.846	30	Minute +/- Max.
11CS5-008	Rotor	RESOLVER	400	26	0.018	0.0946	23	8.2	190	170	280	1200			310	1500	38	0.885	20	Minute Spread Max.
11CS5-008	Rotor	RESOLVER	400	26	0.018	0.0946	22	8.2	190	170	280	1200	370	140	310	1500	60	0.885	20	Minute Spread Max.
11CS5-009	Rotor	RESOLVER	400	26	0.018	0.0946	23	8.2	190	170	280	1200			310	1500	38	0.885	20	Minute Spread Max.
11CS7-A01-001	Rotor	RESOLVER	400	10	0.0215	0.1	4.34	27	220	62	65	128			225	455	15	0.434		
11CT5-002		SYNCHRO	400	11.8	0.0182	0.030	22.5	4	365	58	90	550	605	295	650	3000	50	1.91	25	Minute Spread Max.
11CT5-003	Stator	SYNCHRO	400	11.8	0.022	0.054	23.5	9	490	100	110	450	895	305	700	2750	40	1.992	60	Minute Spread Max.
11CT5-008	Stator	SYNCHRO	400	11.8	0.0182	0.03	22.5	4	365	58	90	550	605	295	650	3000	50	1.91	25	Minute +/- Max.
11CT5-012	Stator	SYNCHRO	400	11.8	0.0183	0.0428	23.5	9.6	490	100	129	635	907	316	620	2968	40	1.992	60	Minute Spread Max.
11CW5-006	Rotor	RESOLVER	30	1	0.0053	0.00495	0.407		175	170	173	99			177	67	10	0.407	40	Minute Spread Max.
11CW5-007		RESOLVER	400	24	0.00448	0.01534	11	4.7	450	170	263	1283			764	5302	40	0.458	30	Minute +/- Max.
11CW5-A01-008	Rotor	RESOLVER	400	26	0.013	0.075	22	8.5	310	192	290	1800	490	300	400	1950	40	0.846	30	Minute Spread Max.
11LT5-001	Rotor	RESOLVER	400	10	0.0058	0.00948	9.05		195	112	223	1548			282	1700	40	0.905	3%	Lin. Max.
11LT5-003	Stator	RESOLVER	400	26	0.0315	0.138	23.1		90	115	139	813.6	171.6	73.2	115.8	723	60	0.888	5%	Lin. Max.
11TR5-001	Rotor	SYNCHRO	400	26	0.247	0.74	11.8	5.7	8.31	3	3.64	18.54			12.1	104.6	26	0.454	30	Minute Spread Max.
11TR5-002	Rotor	SYNCHRO	400	26	0.247	0.74	11.8	5.7	8.31	3	3.64	18.54			12.1	104.6	26	0.454	30	Minute Spread Max.
11TR5-003	Rotor	SYNCHRO	400	26	0.172	0.777	11.8	5.7	16	5	6.3	23.5			26	149	26	0.454	30	Minute Spread Max.
11TR5-004	Rotor	SYNCHRO	400	26	0.172	0.777	11.8	5.7	16	5	6.3	23.5			26	149	26	0.454	20	Minute ± Max.
11TR5-004	Rotor	SYNCHRO	400	26	0.247	0.74	11.8	5.7	8.31	3	3.64	18.54			12.1	104.6	26	0.454	30	Minute Spread Max.
11TR5-007	Rotor	SYNCHRO	400	115	0.058	0.911	90	5	159	159	173.5	927			267	1951	100	0.783	30	Minute +/- Max.
11TR5-008	Rotor	SYNCHRO	400	26	0.0988	0.318	11.8	4	18	7.5	8.1	47			35	288	26	0.454	60	Minute Spread Max.
11TR5-009	Rotor	SYNCHRO	400	26	0.0988	0.318	11.8	4	18	7.5	8.1	47			35	288	26	0.454	60	Minute Spread Max.
11TR5-010	Rotor	SYNCHRO	400	26	0.0988	0.318	11.8	4	18	7.5	8.1	47			35	288	26	0.454	15	Minute +/- Max.
13CG 7-001E		SYNCHRO	400	26	0.040	0.496	11.8	25	255	95	84.4	133.5	487	117.9	310	571	30	0.454	15	Minute ± Max.
15BC2X7-A01-101E	Rotor	RESOLVER	400	26	0.038	0.390	26	20	230	170	256	828	363	70.5	270	629	50	1	60	Minute Spread Max.
15BRX7-B01-101E	Rotor	RESOLVER	10000	7	.05	.2	3.5	2	40	77	185	311			105	170	10	.5	15	Minute ± Max.
15CG6-002	Rotor	SYNCHRO	400	115	0.0285	0.693	11.8	8.2	565	12.6	12.39	38.4	1445	686	853	3944	30	0.103	30	Minute +/- Max.
15CG7-003E	Rotor	SYNCHRO	400	115	0.059	0.79	11.8	11.5	360	6	5.6	19.4	803	292	225	1930	40	0.1027	30	Minute +/- Max.
15CW5-001	Rotor	RESOLVER	30	1	0.00415	0.0038	0.583		210	540	538	190			216	100	10	0.64	50	Minute +/- Max.



SCOT P/N

SCOT P/N	Primary (STATOR) / (ROTOR)	SYNCHRO / RESOLVER	FREQUENCY (Hz)	INPUT VOLT	INPUT CURRENT	INPUT POWER	OUTPUT VOLTAGE	PHASE SHIFT	ROTOR RESISTANCE	STATOR RESISTANCE	Z _{so}	Z _{so} (J)	Z _{rss}	Z _{rss} (J)	Z _{ro}	Z _{ro} (J)	NULL	TRANSFORMATION RATIO	ACCURACY	MINUTE RANGE
15CW5-003	Rotor	RESOLVER	30	1	0.0039	0.00304	0.355	60	191	171	175	60			200	161	10	0.355	30	Minute +/- Max.
15CW5-003	Rotor	RESOLVER	30	1	0.0039	0.00304	0.355		191	171	175	60			200	161	10	0.355	60	Minute Spread Max.
15CW5-006	Rotor	RESOLVER	30	1	0.00402	0.00348	0.64	58	210	540	540	230			215	125	10	0.64	30	Minute +/- Max.
15CW5-011	Rotor	RESOLVER	400	6	0.00298	0.00249	3.36	5.6	191	171	194	732			280	1994	10	0.56	60	Minute Spread Max.
15CW6-001A	Rotor	RESOLVER	400	26	0.017	0.066	0.009	5.2	140	38	52.1	209	372	195	229	1512	40	0.346	30	Minute +/- Max.
15CW6-001B	Rotor	RESOLVER	400	26	0.017	0.082	0.009	10	142	38							40	0.346	30	Minute +/- Max.
15CW6-002A	Rotor	RESOLVER	400	26	0.017	0.066	9	5.2	140	38	52.1	209	372	195	229	1512	40	0.346	30	Minute ± Max.
15CW7-001A		RESOLVER	30	1	0.00415	0.0038	0.355		210	193	204	47	249	96	214	112	10	0.355	30	Minute +/- Max.
15CW7-003B		RESOLVER	30	1	0.00415	0.0038	0.3635		210	193	204	47	249	96	214	112	10	0.355	60	Minute Spread Max.
15CY5-001	Stator	RESOLVER	800	6	0.0014	0.00183	5.1	8.2	210	540	936	4188			500	3472	10	0.851	30	Minute +/- Max.
17CG7-001E		SYNCHRO	400	26	0.0883	0.320	11.8	4.5	17	12.5	17.84	71.5			41	292	26	0.454	7.5	Minute +/- Max.
17CG7-002E	Rotor	SYNCHRO	400	26	0.13	0.45	11.8	4.5	17	12.5	17.84	71.5			41	292	26	0.454	30	Minute Spread Max.
17CG7-002E		SYNCHRO	400	26	0.0883	0.32	11.8	4.5	17	12.5	17.84	71.5			41	292	26	0.454	15	Minute +/- Max.
23CG6-001B		SYNCHRO	400	26	0.088	0.045	11.8		21.1	13.3	23	71.5	68.6	40	56.2	2920	26	0.454	60	Minute +/- Max.
23CG6-003D	Rotor	SYNCHRO	400	115	0.0327	0.52	11.8	7	305	8	11.1	42.8	860	544	480	3484	40	1026	30	Minute +/- Max.
23CG7-002E	Rotor	SYNCHRO	400	115			11.8												30	Minute ± Max.
23CT6-001D	Stator	SYNCHRO	400	11.8	0.0109	0.021	24	12	460	200	287	1000	1302	785	750	4592	40	2.034	20	Minute +/- Max.
11TR5-G03-000	Rotor	SYNCHRO	400	26	0.00108	0.6	11.8	4.3	18	9.3	10.1	47			35	288			60	