


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	RELEASE	9/7/98	



	IND.	RES.
RED-BLK	3.3mh±10%	11.6±10%
YEL-BLK	3.8mh±10%	10.2±10%

TOLERANCE		EXCEPT AS NOTED		CONTRACT	
X.XX	±0.01	ALL DIMENSIONS APPLY AFTER HEAT TREATMENT AND PLATING	BREAK ALL SHARP CORNERS .005-.015	DRAWN	HUTCH 9/7/98
X.XXX	±0.005			CHECKED	N.KHANT 6/4/99
X.XXXX	±0.0001			STRESS	
XX*	±1*			QUALITY ASSURANCE	B.FANK 6/4/99
FRAC.	±1/64			RELIABILITY	
CHAMFERS	45° ±2'	MACHINE FINISH 125		PROJ. ENG.	
		RUNOUT ON COAXIAL DIAMETERS TO BE .005 T.I.R. MAXIMUM		APPROVED	
		FILLET RADII .02		APPROVED	
		REMOVE ALL BURRS			

<b>SCOT</b> ELECTRICAL PRODUCTS DIVISION		
BORDERS BLVD, CHICAGO, IL 60615		
TITLE SPIN MOTOR STATOR ASSEM.		
SIZE	Cage Code: ONFF5	DWG.No. 10HM7-003A
SCALE		SHEET OF